



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Milk as the sole diet of ruminants: ANDREW C. MCCANDLISH.

Experiments with soy bean meal as a substitute in the army ration: ARTHUR W. DOX.

Further work on acid potassium phthalate as a standard in volumetric analysis: W. S. HENDRIXSON AND SERENO G. NORTON.

Geology

Contributions to the geology of southwestern Iowa: GEORGE L. SMITH. The author did considerable work in this field during the past year. The paper is somewhat critical on the superficial work done in the past in this difficult geologic field but the author himself is more uncertain of the geology of this part of the state than he was twenty years ago.

Progress report on recent investigations of the Pleistocene in Iowa: GEORGE F. KAY.

(a) *History of the investigation of the Pleistocene of Iowa.* (b) *Relation of the Wisconsin drift to the Iowan drift as revealed in Worth county:* EMMET J. CABLE.

Interstate affinities of our coal measures: CHARLES KEYES. That the several coal fields of the Mississippi valley should remain so long without even approximate correlation of the different parts is one of the surprising features of American stratigraphy. Recent critical comparison of the terranal successions of the Eastern Interior Coal-field of Illinois and of the Western Coal-field of Iowa and Missouri reveals a parallelism having closer stratigraphic affinities than those displayed in Missouri and Kansas, which are in the same field.

Salient feature of Iowa's tertiary drainage: CHARLES KEYES. Of the many traces bearing upon the character of the preglacial drainage of the Iowa region the most noteworthy, perhaps, is the trend of the leading stream-lines at high angles to the present river courses. The Old Moingona river, for instance, the precursor of the existing Des Moines River, coincided only in its lower reaches with the present water-way. The ancient river was also a much more pretentious drainage-way than Des Moines River, and headed far away in the Black Hills.

Mountain-folding in the far north: CHARLES KEYES. The geological cross section exposed in the gorge of Athabasca River, near the northern extremity of the Rocky Mountains, is from a tectonic angle, one of the most remarkable on the North

American continent. Insofar as the western world is concerned this section is unique in that it is the sole known expression of the fan-structure which so peculiarly characterizes the Swiss Alps. On Athabasca River only one half of the orographic fan is shown. On the opposite, or western, side of the Cordillera, along Frasier River, the pre-Cambrian slates, the dips of which are quite variable, portend the other limb of the fan.

Park sites along Des Moines valley: JAMES H. LEES. A number of geologically and scenically interesting localities along Des Moines valley which are suitable for state or district parks are described and illustrated.

The deepest well in the state: JAMES H. LEES. The well at Stuart, completed in 1916, is 3,121 feet deep, 111 feet deeper than the next shallower one, which is at Boone. It penetrates the New Richmond sandstone.

Some features of the Fort Dodge gypsum: JAMES H. LEES. Underlying the gypsum in some places is a fossiliferous conglomerate which probably has an important bearing on the age of the gypsum. Exposures of the gypsum under the drift show a remarkably irregular solution surface, whose age seems to be pre-Wisconsin. At one place the gypsum is heaved into mounds, evidently by expansion of the crystals through absorption of water. Solution channels are well shown here also.

A fauna from the Ste. Genevieve marls of Fort Dodge: A. O. THOMAS AND JAMES H. LEES. An interesting and very abundant fauna from red limy marls which have been classed as St. Louis, proves to belong to the Ste. Genevieve, which was formerly not known to extend into north-central Iowa. The fauna is largely brachiopods.

JAMES H. LEES,
Secretary

SCIENCE

A Weekly Journal devoted to the Advancement of Science, publishing the official notices and proceedings of the American Association for the Advancement of Science

Published every Friday by

THE SCIENCE PRESS

LANCASTER, PA.

LEWIS GARRISON, N. Y.

NEW YORK, N. Y.

Entered in the post-office at Lancaster, Pa., as second class matter